SECTION 00805

WORK CHANGE DIRECTIVE

			No	3
DATE OF ISSUANCE	9/29/21	EFFECTIVE DATE_	9/29/21	
Owner: St. Charles P				
Contractor: Barriere Co	onstruction Com	pany, LLC		
Contract: <u>P210302</u>				
Project: <u>Asphalt Paveme</u>	nt Maintenance	– Task Order 1		
Owner's Contract No.: P	210302	Engineer's Contract	No.:	
ENGINEER: St. Charles P	arish			
Contractor is directed to proce	ed promptly with	the following change(s):		
Description: The week before Hurrican specification; Mark Dr., Mapower lines following the lefforts by residents, Parish heavily damaged. In order to by full depth patch, before patch	atthew Dr., Please nurricane preven forces, and State o pave the streets	ant Valley Dr.; and Bay nted the paving of the e/Federal contractors, to currently, damaged are	ou Estates Dr. De respective roads. he road base of the eas of the roads ha	ebris, and downed During recovery ne streets became
This Work Change Directive Matthew Dr., Pleasant Valle GPS coordinates for each part to damages from Hurricane a time and materials cost based on the part of the	ey Dr., and Bayo atch for a request Ida. Cost for ob	ou Estates Dr. The Cont t to FEMA for reimbur	tractor shall also c sement of this dire	obtain photos and ective as it relates
St. Charles Parish stopped 2021. Work was allowed to and shall not be held against	resume on Septe	ember 24, 2021. This is		
Attachments: (List docume Survey of patching needed		• /	'alley Dr.; and Ba	ıyou Estates Dr.
<u> </u>	y with the Work of sued due to: <i>(che</i> on pricing of propo- eed for schedule of	osed change. or other project reasons.		
Contract Time 0	_days [increase	e] [decrease]		

Basis of estimated change in	Contract Price:	
□ Lump Sum	☑ Unit Price	
	□ Other	
Recommended: By: Zame Signature:	By: Connection By*: Owner's Representative*	By: Contractor (Authorized Signature)
Title: Se Periol Enga	Title: Ofw Directos	Title: PROJECT MANAGED
Date: 9 - 29-21	Date: 9(30/2021	Date: 10/11/2021
		ork Change Directive substitute the Change
Order process as more fully set out in the	General Conditions of the Construction Cor	itract.
Approved by Funding Agency (if application	ole)	
Ву:	Date:	
Title:		
SCP-E-00805	00805-1	Revised January 21, 2021

MICHAEL DR.

Patch Number	Length	Width	SY	Tons	Tons Per Patch	Notes
1	28.5	4	12.7	4.2	4.2	Back
	12	5	6.7	2.2		
2	83.5	5	46.4	15.3	21.1	
	14	7	10.9	3.6		
	10.5	5	5.8	1.9	5.6	
3	16.5	6	11.0	3.6	5.6	
4	14.5	5.5	8.9	2.9	2.9	
	26.5	6	17.7	5.8		
5	15.5	4	6.9	2.3	8.1	
6	12	4.5	6.0	2.0	2.0	
	13.5	16.5	24.8	8.2		-
7	6	9	6.0	2.0	11.8	
	11.5	4	5.1	1.7	1	
8	4	4	1.8	0.6	0.6	
9	11	4	4.9	1.6	1.6	
	14	9.5	14.8	4.9		
10	5	7.5	4.2	1.4	6.3	
	42.5	10	47.2	15.6		
	13	12.5	18.1	6.0	1	
11	17	5	9.4	3.1	27.4	
	19	4	8.4	2.8	i 1	
12	4	4	1.8	0.6	0.6	
13	4	5	2.2	0.7	0.7	
15	15.5	7	12.1	4.0	0.7	
14	6	5	3.3	1.1	8.0	
14		5	8.9	2.9	8.0	
	16	8		2.9		Added
	7.5	-	6.7	0.7	7.3	added
	4	5	2.2		/.3	
4.5	8	15	13.3	4.4	5.0	added
15	14	11	17.1	5.6	5.6	delete
16	17	3.5	6.6	2.2	2.2 15.3	
17	31	13.5	46.5	15.3		intersection (both)
18	16	10.5	18.7	6.2	6.2	intersection (both)
19	47	14	73.1	24.1 56.6	24.1 56.6	
20	106.5	14.5 6	171.6			
21			4.0	1.3	1.3	
22	24.5	9	24.5	8.1	8.1 6.7	
23	23	7	20.4	6.7		
24	14		10.9	3.6	3.6	
25	46	13.5	69.0	22.8	22.8	
26	151	7	117.4	38.8	38.8	- 4 4 - 4
27	59	13	85.2	28.1	28.1	added
28	16	3	5.3	1.8	1.8	
29	15	6.5	10.8	3.6	3.6	
30	4	5	2.2	0.7	0.7	
31	25.5	12.5	35.4	11.7	11.7	
32	48.5	13.5	72.8	24.0	24.0	
33	17	4	7.6	2.5	2.5	
34	8	4	3.6	1.2	1.2	
35	7	6	4.7	1.5	1.5	
36	23.5	13.5	35.3	11.6	11.6	
37	56	9	56.0	18.5	18.5	
38	70	14	108.9	35.9	35.9	
39	44	13.5	66.0	21.8	21.8	
40	59	9	59.0	19.5	19.5	
41	84	19	177.3	58.5	58.5	
41	C	11.5	7.7	2.5	2.5	
42	6					
	48	19	101.3	33.4	33.4	
42			+	33.4 9.2	33.4 9.2	

PLEASANT VALLEY DR.

Patch Number	Length	Width	SY	Tons	Tons Per Patch	Notes
	17.5	4	7.8	2.6	2.6	
	13	4	5.8	1.9	1.9	
	23	12	30.7	10.1	10.1	
	12	8	10.7	3.5	3.5	
	16.5	8	14.7	4.8	4.8	
_	7	10.5	8.2	2.7	2.7	
	15	13.5	22.5	7.4	7.4	
	12	10	13.3	4.4	4.4	
	7	9.5	7.4	2.4	2.4	
	11	5.5	6.7	2.2	2.2	
	32	6.5	23.1	7.6	7.6	
	9	4	4.0	1.3	1.3	
	8.5	17.5	16.5	5.5	5.5	
	19	6.5	13.7	4.5	4.5	
	20	10.5	23.3	7.7	7.7	
	41	10.5	45.6	15.0	15.0	
	25	4	11.1	3.7	3.7	
	22.5	5	12.5	4.1	4.1	,
	4	4	1.8	0.6	0.6	
	68	5.5	41.6	13.7	13.7	****
	14.5	7	11.3	3.7	3.7	
	13	5	7.2	2.4	2.4	
	6	4	2.7	0.9	0.9	
	10	4	4.4	1.5	1.5	
		7		3.6	3.6	
	14 12.5	12	10.9	5.5	5.5	
		9	36.0		11.9	
	36			11.9 2.6	2.6	
	9	8	8.0		5.4	
	37	4	16.4	5.4		
	7.5	9	7.5	2.5	2.5	
	14	11	17.1	5.6	5.6	
	14.5	60	96.7	31.9	31.9	
	10	5.5	6.1	2.0	2.0	
	19	10	21.1	7.0	7.0	
	39	12	52.0	17.2	17.2	
	15.5	19.5	33.6	11.1	11.1	
	15	7	11.7	3.9	3.9	
	18	4	8.0	2.6	2.6	
	18	9	18.0	5.9	5.9	-
	23.5	19	49.6	16.4	16.4	
	21	13.5	31.5	10.4	10.4	
	11	5	6.1	2.0	2.0	
	37	13.5	55.5	18.3	18.3	
	70	10	77.8	25.7	25.7	
	18	4	8.0	2.6	2.6	
	7.5	6.5	5.4	1.8	1.8	
	11	4	4.9	1.6	1.6	
	28	8.5	26.4	8.7	8.7	
	172.5	10	191.7	63.3	63.3	
	59	13	85.2	28.1	28.1	
	28	28	87.1	28.7	28.7	
	18	19	38.0	12.5	12.5	
-	24	4	10.7	3.5	3.5	
	44.5	13	64.3	21.2	21.2	bump out under red truck

BAYOU ESTATES DR.

atch Number	Length	Width	SY	Tons	Tons Per Patch	Notes
1	13	7.5	10.8	3,6	6.4	Front
1	9	8.5	8.5	2.8	0.4	
	35	13	50.6	16.7		
	11	8.5	10.4	3.4		
2	14	10.5	16.3	5.4	28.7	
	29.5	3	9.8	3.2		
3	32	3	10.7	3.5	3.5	
	21	12.5	29.2	9.6	17.0	
4	32	7	24.9	8.2	17.8	
5				15.1	15.1	
	25	16.5	45.8			
6	14	7.5	11.7	3.9	3.9	
7	8	4	3.6	1.2	1.2	
8	99	7.5	82.5	27.2	27.2	
9	20	3.5	7.8	2.6	2.6	
10	10.5	7.5	8.8	2.9	2.9	
11	20	11	24.4	8.1	8.1	
12	74	7	57.6	19.0	22.3	
	20	4.5	10.0	3.3	•	
13	28.5	7.5	23.8	7.8	7.8	
14	8	8	7.1	2.3	2.3	
		8.5		3.4	3.4	
15	11		10.4			
16	19	15	31.7	10.5	10.5	
17	23.5	7.5	19.6	6.5	6.5	
18	5	6	3.3	1.1	1.1	L
	47.5	5	26.4	8 7		
	23.5	6.5	17.0	5.6	1	
19		9.5			36.0	
	23.5		24.8	8.2	1	
	52.5	7	40.8	13.5		
20	5	5	2.8	0.9	0.9	
21	116	5.5	70.9	23.4	36.8	intersection (both
21	40.5	9	40.5	13.4	30.0	
	30	6	20.0	6.6		Ī
			-		1	
22	30	6	20.0	6.6	47.3	<u> </u>
	33.5	14	52.1	17.2	4	
	22	21	51.3	16.9		
23	8	4	3.6	1.2	1.2	
	8	9	8.0	2.6		
	55	4	24.4	8.1	1	
			47.1	15.5	1	<u> </u>
	53	8			-	
	9.5	6.5	6.9	2.3		
	11	9	11.0	3.6	1	
	17	9	17.0	5.6	1	
	13	9	13.0	4.3	1	
24	46.5	23	118.8	39.2	101.1	
	$\overline{}$				1	
	12	8	10.7	3.5	-	
	13	4	5.8	1.9	1	
	7.5	5	4.2	1.4		
	16.5	12	22.0	7.3	1	
	12	4.5	6.0	2.0	1	
					-	
	7	5	3.9	1.3	-{	
	9	7.5	7.5	2.5		
25	9.5	7.5	7.9	2.6	2,6	
26	19	7	14.8	4.9	4.9	
27	11	8.5	10.4	3.4	3.4	
28	9.5	3	3.2	1.0	1.0	
						
29	12.5	5	6.9	2.3	2.3	
30	17	7	13.2	4.4	4,4	
31	11	14	17.1	5.6	5.6	
32	6	8	5.3	1.8	1.8	
33	20	12	26.7	8.8	8.8	1
	19	5	10.6	3.5	1 2 2 2	
		_			1	
34	18	14	28.0	9.2	23.8	
	23	11	28.1	9.3	1 6	
	6	8	5.3	1.8		L
35	16	6	10.7	3.5	3.5	
36	5	5	2.8	0.9	0.9	T
	+	6.5				t
37	23		16.6	5.5	5.5	F-02-77 1 .
38	41	7	31.9	10.5	14.8	Split right
	13	9	13.0	4.3		
39	18	4.5	9.0	3.0	3.0	
39				21.6		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	42	14	65.3		1	
40	15	14	65.3		29.3	Litura
40	15	14	23.3	7.7		U turn
40 41	15 13	14 3.5	23.3 5.1	7.7	1.7	
40 41 42	15 13 24	14 3.5 11	23.3 5.1 29.3	7.7 1.7 9.7	1.7 9.7	U Turn
40 41	15 13	14 3.5	23.3 5.1	7.7	1.7	
40 41 42 43	15 13 24 11	14 3.5 11 6	23.3 5.1 29.3 7.3	7.7 1.7 9.7 2.4	1.7 9.7 2.4	U Turn
40 41 42 43 44	15 13 24 11 13	14 3.5 11 6 5.5	23.3 5.1 29.3 7.3 7.9	7.7 1.7 9.7 2.4 2.6	1.7 9.7 2.4 2.6	U Turn
40 41 42 43 44 45	15 13 24 11 13 13	14 3.5 11 6 5.5 8	23.3 5.1 29.3 7.3 7.9 11.6	7.7 1.7 9.7 2.4 2.6 3.8	1.7 9.7 2.4 2.6 3.8	U Turn
40 41 42 43 44	15 13 24 11 13 13	14 3.5 11 6 5.5 8 4	23.3 5.1 29.3 7.3 7.9 11.6 5.8	7.7 1.7 9.7 2.4 2.6 3.8 1.9	1.7 9.7 2.4 2.6	U Turn
40 41 42 43 44 45 46	15 13 24 11 13 13	14 3.5 11 6 5.5 8	23.3 5.1 29.3 7.3 7.9 11.6	7.7 1.7 9.7 2.4 2.6 3.8	1.7 9.7 2.4 2.6 3.8 1.9	U Turn
40 41 42 43 44 45	15 13 24 11 13 13	14 3.5 11 6 5.5 8 4	23.3 5.1 29.3 7.3 7.9 11.6 5.8	7.7 1.7 9.7 2.4 2.6 3.8 1.9	1.7 9.7 2.4 2.6 3.8	U Turn
40 41 42 43 44 45 46	15 13 24 11 13 13 13 18 13	14 3.5 11 6 5.5 8 4 6.5	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3	1.7 9.7 2.4 2.6 3.8 1.9	U Turn
40 41 42 43 44 45 46 47	15 13 24 11 13 13 13 14	14 3.5 11 6 5.5 8 4 6.5 4	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9	1.7 9.7 2.4 2.6 3.8 1.9 6.2	U Turn
40 41 42 43 44 45 46 47 48	15 13 24 11 13 13 13 14 14 20	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5	U Turn
40 41 42 43 44 45 46 47	15 13 24 11 13 13 13 14 14 20	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8	U Turn
40 41 42 43 44 45 46 47 48	15 13 24 11 13 13 13 14 14 20	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5	U Turn
40 41 42 43 44 45 46 47 48 49 50 51	15 13 24 11 13 13 13 14 20 13	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5 10	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4 20.0	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8 6.6	U Turn
40 41 42 43 44 45 46 47 48 49	15 13 24 11 13 13 13 13 14 20 13 18	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5 10	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4 20.0 11.7	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8	U Turn
40 41 42 43 44 45 46 47 48 49 50 51	15 13 24 11 13 13 13 14 20 14 20 18 18 18	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5 10 10	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4 20.0 11.7 8.9	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6 3.9	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8 6.6	U Turn
40 41 42 43 44 45 46 47 48 49 50 51 52	15 13 24 11 13 13 13 14 20 13 18 14 20 13 4	14 3.5 11 6 6 5.5 8 4 6.5 4 14 7.5 10 10 10	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4 20.0 11.7 8.9 1.8	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6 3.9 2.9	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8 6.6 6.8	U Turn
40 41 42 43 44 45 46 47 48 49 50 51	15 13 24 11 13 13 13 14 20 14 20 18 18 18	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5 10 10	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4 20.0 11.7 8.9	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6 3.9	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8 6.6	U Turn
40 41 42 43 44 45 46 47 48 49 50 51 52	15 13 24 11 13 13 13 18 14 20 13 18 10.5	14 3.5 11 6 6 5.5 8 4 6.5 4 14 7.5 10 10 10	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4 20.0 11.7 8.9 1.8	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6 3.9 2.9	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8 6.6 6.8	U Turn
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	15 13 24 11 13 13 13 13 14 20 13 18 10.5 8 4	14 3.5 11 6 5.5 8 4 14 7.5 10 10 10 10 4 6	23.3 5.1 29.3 7.3 7.9 11.6 5.8 21.8 16.7 14.4 20.0 11.7 8.9 1.4,7 25.3	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6 3.9 2.9 0.6 4.8	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8 6.6 6.8 0.6 4.8 8.3	U Turn
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56	15 13 24 11 13 13 13 13 14 20 13 18 10.5 8 4 2 17.5	14 3.5 11 6 5.5 8 4 6.5 4 14 7.5 10 10 10 4 6 6.5	23.3 5.1 29.3 7.3 7.9 11.6 5.8 13.0 5.8 21.8 16.7 14.4 20.0 11.7 8.9 1.8 14.9 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6 3.9 2.9 0.6 4.3 1.7	1.7 9.7 2.4 2.6 3.8 1.9 - 6.2 7.2 5.5 4.8 6.6 6.8 0.6 4.8 8.3 1.7	U Turn Round a Bout
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	15 13 24 11 13 13 13 13 14 20 13 18 10.5 8 4	14 3.5 11 6 5.5 8 4 14 7.5 10 10 10 10 4 6	23.3 5.1 29.3 7.3 7.9 11.6 5.8 21.8 16.7 14.4 20.0 11.7 8.9 1.4,7 25.3	7.7 1.7 9.7 2.4 2.6 3.8 1.9 4.3 1.9 7.2 5.5 4.8 6.6 3.9 2.9 0.6 4.8	1.7 9.7 2.4 2.6 3.8 1.9 6.2 7.2 5.5 4.8 6.6 6.8 0.6 4.8 8.3	U Turn

MICHAEL DR.

Patch Number	Length	Width	SY	Tons	Tons Per Patch	Notes
1	47.5	7	36.9	12.2	12.2	Back
2	10.5	8.5	9.9	3.3	3.3	
3	7.5	8.5	7.1	2.3	2.3	
4	6	6	4.0	1.3	1.3	
	9	8	8.0	2.6		
5	14.5	9	14.5	4.8	25.8	
]	27	6.5	19.5	6.4	25.0	
	6.5	50	36.1	11.9		
6	35.5	4.5	17.8	5.9	12.0	
O	12	14	18.7	6.2		
7	14	7	10.9	3.6	9.6	
,	13	12.5	18.1	6.0		<u></u>
8	48	5	26.7	8.8	8.8	
9	15.5	10	17.2	5.7	5.7	
10	15.5	5	8.6	2.8	2.8	
11	44	4	19.6	6.5	6.5	
12	35	4.5	17.5	5.8	5.8	
13	16	8.5	15.1	5.0	5.0	
14	46	3.5	17.9	5.9	5.9	
15	23	4	10.2	3.4	3.4	Front



St. Charles Parish

PUBLIC WORKS

October 4, 2021

Christian Valeton, Project Manager/Estimator Barriere Construction Company, L.L.C. P.O. Box 1576 1268 LA 3127 Boutte, LA 70039-1576

SUBJECT: Asphalt Pavement Maintenance

Work Change Directive No. Three (3) St. Charles Parish Project No. P210302

Dear Ms. Valeton:

Please find enclosed a partially executed original Work Change Directive for the referenced project. Please sign it and forward it back to us for further processing.

Thank you in advance for your cooperation.

Sincerely,

Ruby E. Dennis

Administrative Assistant

RED

Enclosure